

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1A: Bowbells-----	85	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Low strength Shrink-swell	1.00 0.50	Cutbanks cave	0.10		
2: Grail-----	85	Very limited Shrink-swell	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Low strength Frost action	1.00 0.50				
4: Grassna-----	85	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Frost action	0.50	Cutbanks cave	0.10		
5: Williams-----	45	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Noonan-----	30	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Shrink-swell Frost action	0.50 0.50	Cutbanks cave	0.10		
7A: Hamerly-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Not limited	
		Low strength Shrink-swell	0.78 0.50	Cutbanks cave	0.10		
7B: Hamerly-----	90	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Not limited	
		Low strength Shrink-swell	0.78 0.50	Cutbanks cave	0.10		
9C: Seroco-----	90	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.58

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
9E: Seroco-----	45	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty	1.00 0.58
Dune Land-----	35	Not rated		Not rated		Not rated	
10: Capa-----	85	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Depth to saturated zone Cutbanks cave	1.00 0.47 0.10	Very limited Sodium content	1.00
11: Capa-----	50	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Depth to saturated zone Cutbanks cave	1.00 0.47 0.10	Very limited Sodium content	1.00
Slickspots, Dry-----	35	Not rated		Not rated		Not rated	
13A: Tally-----	90	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
13B: Tally-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
Tonka-----	3	Very limited Depth to saturated zone Frost action Low strength Shrink-swell Ponding	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Cutbanks cave	1.00 1.00 1.00 0.10	Very limited Depth to saturated zone Ponding	1.00 1.00

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13C: Tally-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
15: Harriet-----	90	Very limited Depth to saturated zone Frost action  Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Cutbanks cave Too clayey	1.00 0.60 0.10 0.03	Very limited Sodium content  Depth to saturated zone Flooding	1.00 1.00 0.60
16: Egas-----	90	Very limited Frost action  Flooding Low strength  Shrink-swell Depth to saturated zone	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Cutbanks cave  Too clayey	1.00 0.80 0.10 0.03	Very limited Flooding  Salinity Depth to saturated zone	1.00 1.00 1.00
17: Hecla-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 0.61	Somewhat limited Droughty	0.04
18: Parshall-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
19: Heil-----	95	Very limited Depth to saturated zone Shrink-swell Low strength Ponding Frost action	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone Cutbanks cave Ponding Too clayey	1.00 1.00 1.00 0.72	Very limited Depth to saturated zone Ponding	1.00 1.00

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
20D: Sully-----	85	Very limited Slope Low strength Frost action	1.00 0.78 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
21A: Linton-----	40	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Grassna-----	35	Very limited Low strength Frost action	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
21B: Linton-----	85	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
21C: Linton-----	50	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Sutley-----	35	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
21D: Sully-----	45	Very limited Slope Low strength Frost action	1.00 0.78 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Zahl-----	40	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
22B: Linton-----	45	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Sutley-----	30	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
22C: Linton-----	85	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
24A: Yecross-----	85	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.17
24C: Yecross-----	85	Somewhat limited Slope	0.37	Very limited Cutbanks cave Slope	1.00 0.37	Somewhat limited Slope Droughty	0.37 0.17
27B: Maddock-----	90	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.04
27C: Maddock-----	85	Somewhat limited Slope	0.37	Very limited Cutbanks cave Slope	1.00 0.37	Somewhat limited Slope Droughty	0.37 0.04
28: Wyndmere-----	90	Very limited Frost action	1.00	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	
29: Vallars-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
		Low strength	1.00				
		Depth to saturated zone	1.00				
		Shrink-swell	0.50				
		Flooding	0.40				
30: Parnell-----	90	Very limited Shrink-swell Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
		Depth to saturated zone	1.00	Too clayey	0.28		
		Frost action	1.00	Cutbanks cave	0.10		
		Low strength	1.00				
31E: Lihen-----	85	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty	1.00 0.02

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
32F: Flasher-----	90	Very limited Slope  Depth to soft bedrock	1.00  1.00	Very limited Depth to soft bedrock Slope  Cutbanks cave	1.00  1.00  0.10	Very limited Depth to bedrock  Slope  Droughty	1.00  1.00  1.00
34A: Bowdle-----	85	Not limited		Very limited Cutbanks cave	1.00	Not limited	
34B: Bowdle-----	85	Not limited		Very limited Cutbanks cave	1.00	Not limited	
36B: Lehr-----	55	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.07
Wabek-----	35	Not limited		Somewhat limited Cutbanks cave	0.10	Somewhat limited Droughty	0.78
Bowbells-----	4	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
38: Parnell-----	90	Very limited Shrink-swell Ponding  Depth to saturated zone Frost action Low strength	1.00 1.00  1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey  Cutbanks cave	1.00 1.00  0.28  0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
39E: Sansarc-----	50	Very limited Shrink-swell  Slope Depth to soft bedrock Low strength	1.00  1.00 1.00 1.00	Very limited Depth to soft bedrock Slope Too clayey  Cutbanks cave	1.00 1.00 1.00 1.00 0.10	Very limited Too clayey  Depth to bedrock Slope  Droughty	1.00  1.00 1.00 1.00

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Opal-----	35	Very limited Shrink-swell Slope Low strength	1.00 1.00 1.00	Very limited Slope Cutbanks cave Too clayey Depth to soft bedrock	1.00 1.00 0.88 0.42	Very limited Too clayey Slope Depth to bedrock Droughty	1.00 1.00 0.42 0.20
40B: Opal-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Depth to bedrock Droughty	1.00 0.42 0.20
40C: Opal-----	85	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Depth to bedrock Droughty	1.00 0.42 0.20
40D: Opal-----	55	Very limited Shrink-swell Low strength Slope	1.00 1.00 0.63	Very limited Cutbanks cave Too clayey Slope Depth to soft bedrock	1.00 0.88 0.63 0.42	Very limited Too clayey Slope Depth to bedrock Droughty	1.00 0.63 0.42 0.20
Sansarc-----	30	Very limited Shrink-swell  Depth to soft bedrock Low strength Slope	1.00  1.00 1.00 0.37	Very limited Depth to soft bedrock Too clayey Slope Cutbanks cave	1.00  1.00 0.37 0.10	Very limited Too clayey  Depth to bedrock Droughty Slope	1.00  1.00 1.00 0.37
41A: Promise-----	85	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
41B: Promise-----	90	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41C: Promise-----	55	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Too clayey Cutbanks cave	1.00 1.00	Very limited Too clayey	1.00
Opal-----	35	Very limited Shrink-swell Low strength	1.00 1.00	Very limited Cutbanks cave Too clayey Depth to soft bedrock	1.00 0.88 0.42	Very limited Too clayey Depth to bedrock Droughty	1.00 0.42 0.20
51: Tonka-----	85	Very limited Depth to saturated zone Frost action Low strength Shrink-swell Ponding	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Cutbanks cave	1.00 1.00 0.10	Very limited Depth to saturated zone Ponding	1.00 1.00
52A: Lehr-----	90	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.07
52B: Lehr-----	85	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.07
53D: Wabek-----	50	Somewhat limited Slope	0.37	Somewhat limited Slope Cutbanks cave	0.37 0.10	Somewhat limited Droughty Slope	0.78 0.37
Lehr-----	40	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.07
53E: Wabek-----	85	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope Droughty	1.00 0.78
54: Divide-----	85	Somewhat limited Frost action	0.50	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Not limited	



Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
56: Regan-----	85	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00
		Flooding	1.00	Flooding	0.80	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Cutbanks cave	0.10		
		Low strength	1.00				
		Shrink-swell	0.50				
57A: Williams-----	50	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
Bowbells-----	35	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.47	Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
57B: Williams-----	50	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
Bowbells-----	35	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
57C: Williams-----	50	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
Vida-----	35	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
		Shrink-swell	0.50				
		Frost action	0.50				

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
58B: Williams-----	50	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Vida-----	35	Very limited Low strength  Shrink-swell Frost action	1.00  0.50 0.50	Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.01
59D: Vida-----	55	Very limited Low strength Slope  Shrink-swell Frost action	1.00 0.63  0.50 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope Content of large stones	0.63 0.01
Zahl-----	35	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
61E: Zahl-----	45	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Vida-----	40	Very limited Slope Low strength  Shrink-swell Frost action	1.00 1.00  0.50 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope Content of large stones	1.00 0.01
62: Vida-----	85	Very limited Low strength Shrink-swell  Frost action Slope	1.00 0.50  0.50 0.04	Somewhat limited Cutbanks cave Slope	0.10 0.04	Somewhat limited Slope Content of large stones	0.04 0.01

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65B: Bryant-----	55	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Sutley-----	30	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
65C: Bryant-----	45	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Sutley-----	40	Somewhat limited Frost action	0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
65D: Sutley-----	45	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
Linton-----	40	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
66: Arveson-----	85	Very limited Frost action  Depth to saturated zone Flooding	1.00  1.00 0.40	Very limited Depth to saturated zone Cutbanks cave	1.00  1.00	Very limited Depth to saturated zone	1.00
67A: Farnuf-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
67B: Farnuf-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
68A: Bryant-----	45	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
Grassna-----	40	Very limited Low strength Frost action	1.00 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.47 0.10	Not limited	
68B: Bryant-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
68C: Bryant-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
71: Ranslo-----	55	Very limited Frost action  Flooding Shrink-swell  Low strength Depth to saturated zone	1.00  1.00 1.00  1.00 0.19	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00  0.60 0.10	Very limited Sodium content  Flooding Depth to saturated zone	1.00  0.60 0.19
Harriet-----	30	Very limited Depth to saturated zone Frost action  Flooding Low strength Shrink-swell	1.00  1.00  1.00 1.00 0.50	Very limited Depth to saturated zone Flooding Cutbanks cave Too clayey	1.00  0.60 0.10 0.03	Very limited Sodium content  Depth to saturated zone Flooding	1.00  1.00 0.60
72: Straw-----	85	Very limited Flooding Frost action	1.00 0.50	Somewhat limited Flooding Cutbanks cave	0.60 0.10	Somewhat limited Flooding	0.60

Section II  
Soil and Site Information

Building Site Development  
Campbell County, South Dakota

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation.)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
74A: Savage-----	85	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
74B: Savage-----	90	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
77: Orthents, Gravelly--	99	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty Gravel content	1.00 0.42 0.25
80: Ranslo-----	90	Very limited Frost action  Flooding Shrink-swell  Low strength Depth to saturated zone	1.00  1.00 1.00  1.00 0.19	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00  0.60 0.10	Very limited Sodium content  Flooding Depth to saturated zone	1.00  0.60 0.19
W: Water-----	100	Not rated		Not rated		Not rated	